

MATERIAL SAFETY DATA SHEET LITHOLYME

PART NO: S232-105-001, Rev. C MSDS DATE: June 19, 2013

SECTION 1: PRODUCT & COMPANY IDENTIFICATION

Product Name: Litholyme Synonyms: None

Product Codes: 55-01-0013, 55-01-0014, 55-01-0015, 55-01-0016, 55-01-0017, 55-01-18, 55-01-0019

Manufacturer: Allied Healthcare Products, Inc.

Address: 1720 Sublette Avenue, St. Louis, MO 63110

Emergency Phone: 314-771-2400 **CHEMTREC Phone:** 800-262-8200

Other Calls: N/A

FAX Phone: 314-268-1767

Chemical Description: Inorganic solid blend

Product Use: CO₂ Absorbent

Prepared By: Jack Dabrowski, Senior Product Manager

SECTION 2: COMPOSITION & INFORMATION ON INGREDIENTS

| <u>INGREDIENT</u> | CAS NO. | <u>% WT</u> | % VOL | SARA 313 REPORTABLE |
|------------------------|-----------|-------------|-------|----------------------------|
| Calcium Hydroxide | 1305-62-0 | >75% | N/A | N/A |
| Lithium Chloride | 7447-41-8 | <3% | N/A | N/A |
| Ethyl Violet Indicator | 2930-59-2 | <1% | N/A | N/A |

| INGREDIENT | ACGIH TLV | | OSHA PEL | | | OTHER | |
|------------------------|--------------------|--------------------|----------|--------------------|------|---------|--|
| | TWA | STEL | Ceiling | TWA | STEL | Ceiling | |
| Calcium Hydroxide | 5mg/m ³ | - | - | 5mg/m ³ | - | - | |
| Lithium Chloride | - | 5mg/m ³ | - | - | - | - | |
| Ethyl Violet Indicator | - | - | - | - | - | - | |

SECTION 3: HAZARDS IDENTIFICATION

Routes of Entry: Mouth, skin, eyes

Potential Health Effects:

Eyes: Causes severe eye irritation
Skin: Causes skin irritation
Ingestion: Harmful if ingested

Inhalation: Dust can cause irritation and injury to the respiratory system

Acute Health Hazards: Irritant to throat

Chronic Health Hazards: N/A

Carcinogen: OSHA: N/A ACGIH: N/A NTP: N/A IARC: N/A OTHER: N/A

Medical Conditions Generally Aggravated by Exposure: N/A

SECTION 4: FIRST AID MEASURES

Eyes: Flush eyes with water for at least 15 minutes while holding eyelids open. Seek medical attention.

Skin: Wash with soap and water. If discomfort or pain exists, consult a physician.

Remove contaminated clothing and wash before reuse.

Ingestion: Wash out mouth thoroughly. Seek medical attention. Inhalation: Remove from exposure. Seek medical attention.

Notes to Physicians or First Aid Providers: Fresh Litholyme is a basic compound with a pH of 12-12.25.



MATERIAL SAFETY DATA SHEET

PART NO: S232-105-001, Rev. C **LITHOLYME** MSDS DATE: June 19, 2013

SECTION 5: FIRE-FIGHTING MEASURES

NFPA Hazard Classification:

Health: Flammability: 0 Reactivity: 0 Other: N/A

Extinguishing Media: Water, foam, CO₂, powder - all are acceptable **Special Fire-fighting Procedures:** Breathing apparatus may be necessary

Unusual Fire & Explosion Hazards: Material is non-combustible. Packaging may be combustible.

Hazardous Decomposition Products: N/A

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Avoid inhaling dust; avoid skin and eye contact.

Environmental Precautions: No hazard

Contain material. Sweep or vacuum up. Recovery:

SECTION 7: HANDLING & STORAGE

Storage: Store in a clean dry environment. Avoid direct sunlight.

Keep containers closed.

Preferred temperature range: 40° F to 100° F (4° C to 37.7° C)

SECTION 8: EXPOSURE CONTROLS & PERSONAL PROTECTION

Respiratory Protection: Nuisance dust mask recommended

Eye Protection: Goggles to protect against dust recommended **Skin Protection:** General purpose rubber gloves recommended

Wash hands after skin contact Hygiene:

OCCUPATIONAL EXPOSURE LIMITS (EH 40):

| COMPONENT | TWA/8h | STEL(15 min) | | | |
|------------------------|---------------------|--------------|--|--|--|
| Calcium Hydroxide | 5mg/m ³ | N/A | | | |
| Lithium Chloride | 10mg/m ³ | N/A | | | |
| Ethyl Violet Indicator | N/A | N/A | | | |

SECTION 9: PHYSICAL & CHEMICAL PROPERTIES

Physical State: Solid

Appearance: White to blue-white granules

Odor: None pH as Supplied: 12-12.25 2.0 gm/cm³ Specific Gravity ($H_2O = 1$): Solubility in Water: Slight Percent Solids by Weight:

SECTION 10: STABILITY & REACTIVITY

Material is stable.

Conditions to Avoid (stability): N/A

Incompatibility (material to avoid): Avoid contact with chloroform or trichloroethylene (Trilene) **Decomposition or By-products:** Converts to calcium and lithium carbonates when exposed to air.

Heat is generated when exposed to acids.



MATERIAL SAFETY DATA SHEET LITHOLYME

PART NO: S232-105-001, Rev. C MSDS DATE: June 19, 2013

SECTION 11: TOXICOLOGICAL INFORMATION

Calcium Hydroxide: LD (50) = 7.3 g/kg rat Lithium Chloride: LD (50) = 526 mg/kg rat

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity: No risk of prolonged damage to animal or plant life

Mobility: Converts to naturally occurring minerals

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Method: May require disposal by a licensed contractor and carrier. Check local ordinances.

Should be disposed of as non-contaminated clinical waste.

RCRA Hazard Class: N/A

SECTION 14: TRANSPORT INFORMATION

Transport Classification: Not classified as hazardous for transport by land, sea or air

Proper Shipping Name: Litholyme N/A N/A Hazard Class: N/A Packing Group: N/A Label Statement: N/A

SECTION 15: REGULATORY INFORMATION

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act):
CERCLA (Comprehensive Response Compensation & Liability Act):
SARA Title III (Superfund Amendments & Reauthorization Act):
N/A
311/312 Hazard Categories:
N/A
313 Reportable Ingredients:
N/A
State Regulations:
YES
International Regulations:
YES

SECTION 16: OTHER INFORMATION

Non-Hazardous Ingredient Disclosure:

 Chemical Name:
 CAS Number
 % WT

 Water
 007732-18-5
 12-19%

DISCLAIMER:

The information in this safety sheet is based on best knowledge available at the time and current national legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular application. As the specific conditions of use are outside the control of the supplier, the user is responsible for ensuring that the product is used in a safe manner and the requirements of relevant legislation are complied with.